






SPIRAL ELBOW 90 DEGREE **26 GA STANDARD RADIUS**

MEETS SMACNA CLASS 3 LEAKAGE STANDARDS



4-FOLD STAPLED JOINT ASSEMBLY



MATERIAL: 26GA G90 GALVANIZED


DIMENSION (In Inch)

DIAMETER	CENTER RADIUS	COLLAR	THROAT RADIUS D
A	B	C	
4	6	2	4
5	7-1/2	2-3/16	5
6	9	2-3/8	6
7	10-1/2	2-9/16	7
8	12	2-3/4	8
9	13-1/2	2-15/16	9
10	15	3-1/8	10
12	18	3-9/16	12
14	21	3-15/16	14
16	24	4-5/16	16
18	27	4-3/4	18






90 DEGREE SPIRAL ELBOW
26 GA HALF-RADIUS

MEETS SMACNA CLASS 3 LEAKAGE STANDARDS



4-FOLD STAPLED JOINT ASSEMBLY



MATERIAL: 26GA G90 GALVANIZED

DIMENSION (In Inch)

DIAMETER	CENTER RADIUS	COLLAR	THROAT RADIUS D
A	B	C	
4	4	2	2
6	6	2-3/8	3
8	8	2-3/4	4
10	10	3-1/8	5
12	12	3-9/16	6
14	14	3-15/16	7
16	16	4-5/16	8
18	18	4-3/4	9





45 DEGREE SPIRAL ELBOW **26 GA STANDARD RADIUS**

MEETS SMACNA CLASS 3 LEAKAGE STANDARDS



4-FOLD STAPLED JOINT ASSEMBLY



MATERIAL: 26GA G90 GALVANIZED


DIMENSION (In Inch)

DIAMETER A	CENTER RADIUS B	COLLAR C	THROAT RADIUS D
4	6	2	4
5	7-1/2	2-3/16	5
6	9	2-3/8	6
7	10-1/2	2-9/16	7
8	12	2-3/4	8
9	13-1/2	2-15/16	9
10	15	3-1/8	10
12	18	3-9/16	12
14	21	3-15/16	14
16	24	4-5/16	16
18	27	4-3/4	18




45 DEGREE SPIRAL ELBOW
26 GA HALF-RADIUS


MEETS SMACNA CLASS 3 LEAKAGE STANDARDS



4-FOLD STAPLED JOINT ASSEMBLY



MATERIAL: 26GA G90 GALVANIZED



DIMENSION (In Inch)

DIAMETER	CENTER RADIUS	COLLAR	THROAT RADIUS D
A	B	C	
4	4	2	2
6	6	2-3/8	3
8	8	2-3/4	4
10	10	3-1/8	5
12	12	3-9/16	6
14	14	3-15/16	7
16	16	4-5/16	8
18	18	4-3/4	9